



SAFETY DATA SHEET

# Odor Eliminating Gel - Fresh & Clean

## SECTION 1: IDENTIFICATION

### 1.1. Product identifier

*Trade name:* Odor Eliminating Gel - Fresh & Clean  
*Product no.:* H9985

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Air Freshener (Gel)  
*Uses advised against :* None known.

### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **P.F. Harris Manufacturing Company, LLC**  
755 Tri-State Parkway  
Gurnee, IL 60031  
United States  
+1 (800) 637-0317  
pfharris.com

*Contact person:* Customer support  
*E-mail:* info@pfharris.com  
*SDS date:* 11/7/2025  
*SDS Version:* 1.0

### 1.4. Emergency telephone number

Infotrac +1 (352) 323-3500  
Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case  
See also section 4 "First aid measures".

## SECTION 2: HAZARD(S) IDENTIFICATION

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

### 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

### 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Warning

*Hazard statement(s):*

Causes serious eye irritation. (H319)

*Precautionary statement(s):*

*General:*

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

*Prevention:*

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

*Response:*

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

*Storage:*

Not applicable.

*Disposal:*

Not applicable.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Isopropanol	CAS No.: 67-63-0	3-5%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Alcohols, C9-11, ethoxylated	CAS No.: 68439-46-3	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	[19]

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials



## SECTION 4: FIRST-AID MEASURES

### 4.1. Description of first aid measures

*General information:*

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

*Skin contact:*

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

*Eye contact:*

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

*Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIRE-FIGHTING MEASURES



**5.1. Extinguishing media**

Not applicable.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas.  
Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.  
Keep unauthorized persons away from the spill

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.



*Recommended storage material:* Keep only in original packaging.  
*Storage conditions:* No specific requirements.  
*Incompatible materials:* Strong acids  
Strong oxidizing agents

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Isopropanol  
Short term exposure limit (STEL) (ACGIH TLV) (ppm): 400  
Short term exposure limit (STEL) (NIOSH REL) (ppm): 500  
Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 980  
Long term exposure limit (OSHA Table Z-1) (ppm): 400  
Long term exposure limit (ACGIH TLV) (ppm): 200

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

**8.2. Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:* Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:* There are no exposure scenarios implemented for this product.

*Exposure limits:* Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

*Appropriate technical measures:* The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:* In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay

special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

No specific requirements.

**Individual protection measures, such as personal protective equipment**

*Generally:*

Use only protective equipment with a recognized certification mark, e.g. the UL mark.

*Respiratory Equipment:*

No specific requirements.

*Skin protection:*

No specific requirements.

*Hand protection:*

No specific requirements.

*Eye protection:*

Type	Standards	
No special when used as intended.	-	

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

*Physical state:*

Gel

*Color:*

White

*Odor:*

Fresh

*Odor threshold (ppm):*

No data available.

*pH:*

8.5

*Density (g/cm<sup>3</sup>):*

No data available.

-

*Relative density:*

0.99

*Kinematic viscosity:*

No data available.

*Particle characteristics:*

Does not apply to liquids.

**Phase changes**

*Melting point/freezing point (°F):*

No data available.

*Softening point/range (°F):*

Does not apply to liquids.

*Boiling point (°F):*

No data available.

*Vapor pressure:*

No data available.

*Relative vapor density:*

No data available.

*Decomposition temperature (°F):*

No data available.

**Data on fire and explosion hazards**



<i>Flash point (°F):</i>	No data available.
<i>Flammability (°F):</i>	No data available.
<i>Auto-ignition temperature (°F):</i>	No data available.
<i>Explosion limits (% v/v):</i>	No data available.

### Solubility

<i>Solubility in water:</i>	No data available.
<i>n-octanol/water coefficient (LogKow):</i>	No data available.
<i>Solubility in fat (g/L):</i>	No data available.

### 9.2. Other information

<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions, including those associated with foreseeable emergencies

None known.

### 10.4. Conditions to avoid

Extremes of temperature

### 10.5. Incompatible materials

Strong acids  
Strong oxidizing agents

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

Product/substance	Isopropanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	5050 mg/kg

Product/substance	Isopropanol
-------------------	-------------

Species: Rabbit  
 Route of exposure: Dermal  
 Test: LD50  
 Result: 4059 mg/kg

Product/substance Isopropanol  
 Species: Rat  
 Route of exposure: Inhalation  
 Test: LC50  
 Result: 72.6 mg/L

Product/substance Alcohols, C9-11, ethoxylated  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50  
 Result: 1400 mg/kg

Product/substance Alcohols, C9-11, ethoxylated  
 Species: Rat  
 Route of exposure: Dermal  
 Test: LD50  
 Result: >5000 mg/kg

Based on available data for the mixture, the classification criteria are not met.

**Skin corrosion/irritation**

Based on available data for the mixture, the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory sensitisation**

Based on available data for the mixture, the classification criteria are not met.

**Skin sensitisation**

Based on available data for the mixture, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data for the mixture, the classification criteria are not met.

**Carcinogenicity**

Based on available data for the mixture, the classification criteria are not met.

**Reproductive toxicity**

Based on available data for the mixture, the classification criteria are not met.

**STOT-single exposure**

Based on available data for the mixture, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data for the mixture, the classification criteria are not met.

**Aspiration hazard**

Based on available data for the mixture, the classification criteria are not met.

**Long term effects**



Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Other information

Isopropanol has been classified by IARC as a group 3 carcinogen.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Product/substance	Isopropanol
Species:	Fish, Pimephales promelas
Duration:	96 hours
Test:	LC50
Result:	9640 mg/L

Product/substance	Isopropanol
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	13299 mg/L

Product/substance	Alcohols, C9-11, ethoxylated
Species:	Pimephales promelas
Duration:	96 hours
Test:	LC50
Result:	8.5 mg/L

Product/substance	Alcohols, C9-11, ethoxylated
Species:	Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	5.3 mg/L

Product/substance	Alcohols, C9-11, ethoxylated
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	1-10 mg/L

Based on available data for the mixture, the classification criteria are not met.

### 12.2. Persistence and degradability

Based on available data for the mixture, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data for the mixture, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2024)

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)**

None of the components are listed

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informat ion:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to IMO instruments**

No data available.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. U.S. Federal regulations**

*TSCA (the non-confidential portion):*

Isopropanol is listed  
Alcohols, C9-11, ethoxylated is listed  
Propylene glycol is listed

*Clean Air Act:*

None of the components are listed

*EPCRA Section 302:*

None of the components are listed

*EPCRA Section 304:*

None of the components are listed



*EPCRA section 313:*

Isopropanol is listed

*CERCLA:*

None of the components are listed

*Hazardous chemical inventory reporting:*

This product is subject to Tier II reporting.

**State regulations**

*California / Prop. 65:*

None of the components are listed

*Massachusetts / Right To Know Act:*

Isopropanol is listed

*New Jersey / Right To Know Act:*

Isopropanol / Substance number: 1076  
Isopropanol is on the Special Health Hazard  
Substance List

—  
Propylene glycol / Substance number: 3595

*New York / Right To Know Act:*

—  
Isopropanol is listed  
Isopropanol is regulated with a Treshold  
Reporting Quantity (TRQ) of: 0 pounds

*Pennsylvania / Right To Know Act:*

—  
Isopropanol is listed  
Isopropanol is hazardous to the  
environment (E)

—  
Propylene glycol is listed

**15.4. Restrictions for application**

No special.

**15.5. Demands for specific education**

No specific requirements.

**15.6. Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**15.8. Sources**

OSHA Hazard Communication Standard (29 CFR 1910.1200)

**SECTION 16: OTHER INFORMATION**

**Full text of H-phrases as mentioned in section 3**

H225, Highly flammable liquid and vapour.

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H336, May cause drowsiness or dizziness.

**The full text of identified uses as mentioned in section 1**

None known.

### **Abbreviations and acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

### **The safety data sheet is validated by**



PurposeBuilt Brands Regulatory Team

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en